Nutritional Assessment Questionnaire 1.5

Name: _____ **Date:** _____/____/_____

Birth Date: _____ **Gender:** _____

Please list your five major health concerns in order of importance:

1. _____
2. _____
3. _____
4. _____
5. _____

Notes:

PART I

Read the following questions and circle the number that applies:

KEY: **0 = Do not consume or use** **2 = Consume or use weekly**
1 = Consume or use 2 to 3 times monthly **3 = Consume or use daily**

DIET

58

1. 0 1 2 3 Alcohol
2. 0 1 2 3 Artificial sweeteners
3. 0 1 2 3 Candy, desserts, refined sugar
4. 0 1 2 3 Carbonated beverages
5. 0 1 2 3 Chewing tobacco
6. 0 1 2 3 Cigarettes
7. 0 1 2 3 Cigars/pipes
8. 0 1 2 3 Caffeinated beverages
9. 0 1 2 3 Fast foods
10. 0 1 2 3 Fried foods
11. 0 1 2 3 Luncheon meats
12. 0 1 2 3 Margarine
13. 0 1 2 3 Milk products
14. 0 1 Radiation exposure (0=no, 1=yes)
15. 0 1 2 3 Refined flour/baked goods
16. 0 1 2 3 Vitamins and minerals
17. 0 1 2 3 Water, distilled
18. 0 1 2 3 Water, tap
19. 0 1 2 3 Water, well
20. 0 1 2 3 Diet often for weight control

LIFESTYLE

12

21. 0 1 2 3 Exercise per week (0 = 2 or more times a week, 1 = 1 time a week, 2 = 1 or 2 times a month, 3 = never, less than once a month)
22. 0 1 2 3 Changed jobs (0 = over 12 months ago, 1 = within last 12 months, 2 = within last 6 months, 3 = within last 2 months)
23. 0 1 2 3 Divorced (0 = never, over 2 years ago, 1 = within last 2 years, 2 = within last year, 3 = within last 6 months)
24. 0 1 2 3 Work over 60 hours/week (0 = never, 1 = occasionally, 2 = usually, 3 = always)

MEDICATIONS

Indicate any medications you're currently taking or have taken in the last month (0=no, 1=yes):

54

25. 0 1 Antacids
26. 0 1 Antianxiety medications
27. 0 1 Antibiotics
28. 0 1 Anticonvulsants
29. 0 1 Antidepressants
30. 0 1 Antifungals
31. 0 1 Aspirin/Ibuprofen
32. 0 1 Asthma inhalers
33. 0 1 Beta blockers
34. 0 1 Birth control pills/implant contraceptives
35. 0 1 Chemotherapy
36. 0 1 Cholesterol lowering medications
37. 0 1 Cortisone/steroids
38. 0 1 Diabetic medications/insulin
39. 0 1 Diuretics
40. 0 1 Estrogen or progesterone (pharmaceutical, prescription)
41. 0 1 Estrogen or progesterone (natural)
42. 0 1 Heart medications
43. 0 1 High blood pressure medications
44. 0 1 Laxatives
45. 0 1 Recreational drugs
46. 0 1 Relaxants/Sleeping pills
47. 0 1 Testosterone (natural or prescription)
48. 0 1 Thyroid medication
49. 0 1 Acetaminophen (Tylenol)
50. 0 1 Ulcer medications
51. 0 1 Sildenafal citrate (Viagra)

PART II **(See key at bottom of page)**

Section 1 – Upper Gastrointestinal System

55

52. 0 1 2 3 Belching or gas within one hour after eating
53. 0 1 2 3 Heartburn or acid reflux
54. 0 1 2 3 Bloating within one hour after eating
55. 0 1 Vegan diet (no dairy, meat, fish or eggs) (0=no, 1=yes)
56. 0 1 2 3 Bad breath (halitosis)
57. 0 1 2 3 Loss of taste for meat
58. 0 1 2 3 Sweat has a strong odor
59. 0 1 2 3 Stomach upset by taking vitamins
60. 0 1 2 3 Sense of excess fullness after meals
61. 0 1 2 3 Feel like skipping breakfast
62. 0 1 2 3 Feel better if you don't eat
63. 0 1 2 3 Sleepy after meals
64. 0 1 2 3 Fingernails chip, peel or break easily
65. 0 1 2 3 Anemia unresponsive to iron
66. 0 1 2 3 Stomach pains or cramps
67. 0 1 2 3 Diarrhea, chronic
68. 0 1 2 3 Diarrhea shortly after meals
69. 0 1 2 3 Black or tarry colored stools
70. 0 1 2 3 Undigested food in stool

KEY: 0=No, symptom does not occur 2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly) 3=Severe symptom, occurs frequently (daily)

©2003 Nutritional Therapy Association, Inc.® All Rights Reserved.

Section 2 – Liver and Gallbladder

68

71. 0 1 2 3 Pain between shoulder blades
72. 0 1 2 3 Stomach upset by greasy foods
73. 0 1 2 3 Greasy or shiny stools
74. 0 1 2 3 Nausea
75. 0 1 2 3 Sea, car, airplane or motion sickness
76. 0 1 History of morning sickness (0 = no, 1 = yes)
77. 0 1 2 3 Light or clay colored stools
78. 0 1 2 3 Dry skin, itchy feet or skin peels on feet
79. 0 1 2 3 Headache over eyes
80. 0 1 2 3 Gallbladder attacks (0=never, 1=years ago, 2=within last year, 3=within past 3 months)
81. 0 1 Gallbladder removed (0=no, 1=yes)
82. 0 1 2 3 Bitter taste in mouth, especially after meals
83. 0 1 Become sick if you were to drink wine (0=no, 1=yes)
84. 0 1 Easily intoxicated if you were to drink wine (0=no, 1=yes)
85. 0 1 Easily hung over if you were to drink wine (0=no, 1=yes)
86. 0 1 2 3 Alcohol per week (0=<3, 1=<7, 2 =<14, 3=>14)
87. 0 1 Recovering alcoholic (0=no, 1=yes)
88. 0 1 History of drug or alcohol abuse (0=no, 1=yes)
89. 0 1 History of hepatitis (0=no, 1=yes)
90. 0 1 Long term use of prescription/recreational drugs (0=no, 1=yes)
91. 0 1 2 3 Sensitive to chemicals (perfume, cleaning agents, etc.)
92. 0 1 2 3 Sensitive to tobacco smoke
93. 0 1 2 3 Exposure to diesel fumes
94. 0 1 2 3 Pain under right side of rib cage
95. 0 1 2 3 Hemorrhoids or varicose veins
96. 0 1 2 3 Nutrasweet (aspartame) consumption
97. 0 1 2 3 Sensitive to Nutrasweet (aspartame)
98. 0 1 2 3 Chronic fatigue or Fibromyalgia

Section 3 – Small Intestine

47

99. 0 1 2 3 Food allergies
100. 0 1 2 3 Abdominal bloating 1 to 2 hours after eating
101. 0 1 Specific foods make you tired or bloated (0=no, 1=yes)
102. 0 1 2 3 Pulse speeds after eating
103. 0 1 2 3 Airborne allergies
104. 0 1 2 3 Experience hives
105. 0 1 2 3 Sinus congestion, "stuffy head"
106. 0 1 2 3 Crave bread or noodles
107. 0 1 2 3 Alternating constipation and diarrhea
108. 0 1 2 3 Crohn's disease (0 =no, 1=yes in the past, 2=currently mild condition, 3=severe)
109. 0 1 2 3 Wheat or grain sensitivity
110. 0 1 2 3 Dairy sensitivity
111. 0 1 Are there foods you could not give up (0=no, 1=yes)
112. 0 1 2 3 Asthma, sinus infections, stuffy nose
113. 0 1 2 3 Bizarre vivid dreams, nightmares
114. 0 1 2 3 Use over-the-counter pain medications
115. 0 1 2 3 Feel spacey or unreal

Section 4 – Large Intestine

58

116. 0 1 2 3 Anus itches
117. 0 1 2 3 Coated tongue
118. 0 1 2 3 Feel worse in moldy or musty place
119. 0 1 2 3 Taken antibiotic for a total accumulated time of (0=never, 1= <1 month, 2= <3 months, 3= >3 months)
120. 0 1 2 3 Fungus or yeast infections
121. 0 1 2 3 Ring worm, "jock itch", "athletes foot", nail fungus
122. 0 1 2 3 Yeast symptoms increase with sugar, starch or alcohol
123. 0 1 2 3 Stools hard or difficult to pass
124. 0 1 History of parasites (0=no, 1=yes)
125. 0 1 2 3 Less than one bowel movement per day
126. 0 1 2 3 Stools have corners or edges, are flat or ribbon shaped
127. 0 1 2 3 Stools are not well formed (loose)
128. 0 1 2 3 Irritable bowel or mucus colitis
129. 0 1 2 3 Blood in stool
130. 0 1 2 3 Mucus in stool
131. 0 1 2 3 Excessive foul smelling lower bowel gas
132. 0 1 2 3 Bad breath or strong body odors
133. 0 1 2 3 Painful to press along outer sides of thighs (Iliotibial Band)
134. 0 1 2 3 Cramping in lower abdominal region
135. 0 1 2 3 Dark circles under eyes

Section 5 – Mineral Needs

75

136. 0 1 History of carpal tunnel syndrome (0=no, 1=yes)
137. 0 1 History of lower right abdominal pains or ileocecal valve problems (0=no, 1=yes)
138. 0 1 History of stress fracture (0=no, 1=yes)
139. 0 1 2 3 Bone loss (reduced density on bone scan)
140. 0 1 Are you shorter than you used to be? (0=no, 1=yes)
141. 0 1 2 3 Calf, foot or toe cramps at rest
142. 0 1 2 3 Cold sores, fever blisters or herpes lesions
143. 0 1 2 3 Frequent fevers
144. 0 1 2 3 Frequent skin rashes and/or hives
145. 0 1 Herniated disc (0=no, 1=yes)
146. 0 1 2 3 Excessively flexible joints, "double jointed"
147. 0 1 2 3 Joints pop or click
148. 0 1 2 3 Pain or swelling in joints
149. 0 1 2 3 Bursitis or tendonitis
150. 0 1 History of bone spurs (0=no, 1=yes)
151. 0 1 2 3 Morning stiffness
152. 0 1 2 3 Nausea with vomiting
153. 0 1 2 3 Crave chocolate
154. 0 1 2 3 Feet have a strong odor
155. 0 1 2 3 History of anemia
156. 0 1 2 3 Whites of eyes (sclera) blue tinted
157. 0 1 2 3 Hoarseness
158. 0 1 2 3 Difficulty swallowing
159. 0 1 2 3 Lump in throat
160. 0 1 2 3 Dry mouth, eyes and/or nose
161. 0 1 2 3 Gag easily
162. 0 1 2 3 White spots on fingernails
163. 0 1 2 3 Cuts heal slowly and/or scar easily
164. 0 1 2 3 Decreased sense of taste or smell

KEY: 0=No, symptom does not occur
1=Yes, minor or mild symptom, rarely occurs (monthly)
2=Moderate symptom, occurs occasionally (weekly)
3=Severe symptom, occurs frequently (daily)

©2003 Nutritional Therapy Association, Inc.® All Rights Reserved.

Section 6 – Essential Fatty Acids

22

165. 0 1 Experience pain relief with aspirin (0=no, 1=yes)
166. 0 1 2 3 Crave fatty or greasy foods
167. 0 1 2 3 Low- or reduced-fat diet (0=never, 1=years ago, 2=within past year, 3=currently)
168. 0 1 2 3 Tension headaches at base of skull
169. 0 1 2 3 Headaches when out in the hot sun
170. 0 1 2 3 Sunburn easily or suffer sun poisoning
171. 0 1 2 3 Muscles easily fatigued
172. 0 1 2 3 Dry flaky skin or dandruff

Section 7 – Sugar Handling

39

173. 0 1 2 3 Awaken a few hours after falling asleep, hard to get back to sleep
174. 0 1 2 3 Crave sweets
175. 0 1 2 3 Binge or uncontrolled eating
176. 0 1 2 3 Excessive appetite
177. 0 1 2 3 Crave coffee or sugar in the afternoon
178. 0 1 2 3 Sleepy in afternoon
179. 0 1 2 3 Fatigue that is relieved by eating
180. 0 1 2 3 Headache if meals are skipped or delayed
181. 0 1 2 3 Irritable before meals
182. 0 1 2 3 Shaky if meals delayed
183. 0 1 2 3 Family members with diabetes (0=none, 1=1 or 2, 2=3 or 4, 3=more than 4)
184. 0 1 2 3 Frequent thirst
185. 0 1 2 3 Frequent urination

Section 8 – Vitamin Need

81

186. 0 1 2 3 Muscles become easily fatigued
187. 0 1 2 3 Feel exhausted or sore after moderate exercise
188. 0 1 2 3 Vulnerable to insect bites
189. 0 1 2 3 Loss of muscle tone, heaviness in arms/legs
190. 0 1 2 3 Enlarged heart or congestive heart failure
191. 0 1 2 3 Pulse below 65 per minute (0=no, 1=yes)
192. 0 1 2 3 Ringing in the ears (Tinnitus)
193. 0 1 2 3 Numbness, tingling or itching in hands and feet
194. 0 1 2 3 Depressed
195. 0 1 2 3 Fear of impending doom
196. 0 1 2 3 Worrier, apprehensive, anxious
197. 0 1 2 3 Nervous or agitated
198. 0 1 2 3 Feelings of insecurity
199. 0 1 2 3 Heart races
200. 0 1 2 3 Can hear heart beat on pillow at night
201. 0 1 2 3 Whole body or limb jerk as falling asleep
202. 0 1 2 3 Night sweats
203. 0 1 2 3 Restless leg syndrome
204. 0 1 2 3 Cracks at corner of mouth (Cheilosis)
205. 0 1 2 3 Fragile skin, easily chaffed, as in shaving
206. 0 1 2 3 Polyps or warts
207. 0 1 2 3 MSG sensitivity
208. 0 1 2 3 Wake up without remembering dreams
209. 0 1 2 3 Small bumps on back of arms
210. 0 1 2 3 Strong light at night irritates eyes
211. 0 1 2 3 Nose bleeds and/or tend to bruise easily
212. 0 1 2 3 Bleeding gums especially when brushing teeth

Section 9 – Adrenal

78

213. 0 1 2 3 Tend to be a "night person"
214. 0 1 2 3 Difficulty falling asleep
215. 0 1 2 3 Slow starter in the morning
216. 0 1 2 3 Tend to be keyed up, trouble calming down
217. 0 1 2 3 Blood pressure above 120/80
218. 0 1 2 3 Headache after exercising
219. 0 1 2 3 Feeling wired or jittery after drinking coffee
220. 0 1 2 3 Clench or grind teeth
221. 0 1 2 3 Calm on the outside, troubled on the inside
222. 0 1 2 3 Chronic low back pain, worse with fatigue
223. 0 1 2 3 Become dizzy when standing up suddenly
224. 0 1 2 3 Difficulty maintaining manipulative correction
225. 0 1 2 3 Pain after manipulative correction
226. 0 1 2 3 Arthritic tendencies
227. 0 1 2 3 Crave salty foods
228. 0 1 2 3 Salt foods before tasting
229. 0 1 2 3 Perspire easily
230. 0 1 2 3 Chronic fatigue, or get drowsy often
231. 0 1 2 3 Afternoon yawning
232. 0 1 2 3 Afternoon headache
233. 0 1 2 3 Asthma, wheezing or difficulty breathing
234. 0 1 2 3 Pain on the medial or inner side of the knee
235. 0 1 2 3 Tendency to sprain ankles or "shin splints"
236. 0 1 2 3 Tendency to need sunglasses
237. 0 1 2 3 Allergies and/or hives
238. 0 1 2 3 Weakness, dizziness

Section 10 – Pituitary

29

239. 0 1 Height over 6' 6" (0=no, 1=yes)
240. 0 1 Early sexual development (before age 10) (0=no, 1=yes)
241. 0 1 2 3 Increased libido
242. 0 1 2 3 Splitting type headache
243. 0 1 2 3 Memory failing
244. 0 1 Tolerate sugar, feel fine when eating sugar (0=no, 1=yes)
245. 0 1 Height under 4' 10" (0=no, 1=yes)
246. 0 1 2 3 Decreased libido
247. 0 1 2 3 Excessive thirst
248. 0 1 2 3 Weight gain around hips or waist
249. 0 1 2 3 Menstrual disorders
250. 0 1 Delayed sexual development (after age 13) (0=no, 1=yes)
251. 0 1 2 3 Tendency to ulcers or colitis

KEY:	
0=No, symptom does not occur	2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Severe symptom, occurs frequently (daily)

©2003 Nutritional Therapy Association, Inc.® All Rights Reserved.

Section 11 – Thyroid

48

252. 0 1 2 3 Sensitive/allergic to iodine
253. 0 1 2 3 Difficulty gaining weight, even with large appetite
254. 0 1 2 3 Nervous, emotional, can't work under pressure
255. 0 1 2 3 Inward trembling
256. 0 1 2 3 Flush easily
257. 0 1 2 3 Fast pulse at rest
258. 0 1 2 3 Intolerance to high temperatures
259. 0 1 2 3 Difficulty losing weight
260. 0 1 2 3 Mentally sluggish, reduced initiative
261. 0 1 2 3 Easily fatigued, sleepy during the day
262. 0 1 2 3 Sensitive to cold, poor circulation (cold hands and feet)
263. 0 1 2 3 Constipation, chronic
264. 0 1 2 3 Excessive hair loss and/or coarse hair
265. 0 1 2 3 Morning headaches, wear off during the day
266. 0 1 2 3 Loss of lateral 1/3 of eyebrow
267. 0 1 2 3 Seasonal sadness

Section 12 – Men Only

27

268. 0 1 2 3 Prostate problems
269. 0 1 2 3 Difficulty with urination, dribbling
270. 0 1 2 3 Difficult to start and stop urine stream
271. 0 1 2 3 Pain or burning with urination
272. 0 1 2 3 Waking to urinate at night
273. 0 1 2 3 Interruption of stream during urination
274. 0 1 2 3 Pain on inside of legs or heels
275. 0 1 2 3 Feeling of incomplete bowel evacuation
276. 0 1 2 3 Decreased sexual function

Section 13 – Women Only

60

277. 0 1 2 3 Depression during periods
278. 0 1 2 3 Mood swings associated with periods (PMS)
279. 0 1 2 3 Crave chocolate around periods
280. 0 1 2 3 Breast tenderness associated with cycle
281. 0 1 2 3 Excessive menstrual flow
282. 0 1 2 3 Scanty blood flow during periods
283. 0 1 2 3 Occasional skipped periods
284. 0 1 2 3 Variations in menstrual cycles
285. 0 1 2 3 Endometriosis
286. 0 1 2 3 Uterine fibroids
287. 0 1 2 3 Breast fibroids, benign masses
288. 0 1 2 3 Painful intercourse (dysparenia)
289. 0 1 2 3 Vaginal discharge
290. 0 1 2 3 Vaginal dryness
291. 0 1 2 3 Vaginal itchiness
292. 0 1 2 3 Gain weight around hips, thighs and buttocks
293. 0 1 2 3 Excess facial or body hair
294. 0 1 2 3 Hot flashes
295. 0 1 2 3 Night sweats (in menopausal females)
296. 0 1 2 3 Thinning skin

Section 14 – Cardiovascular

30

297. 0 1 2 3 Aware of heavy and/or irregular breathing
298. 0 1 2 3 Discomfort at high altitudes
299. 0 1 2 3 "Air hunger" or sigh frequently
300. 0 1 2 3 Compelled to open windows in a closed room
301. 0 1 2 3 Shortness of breath with moderate exertion
302. 0 1 2 3 Ankles swell, especially at end of day
303. 0 1 2 3 Cough at night
304. 0 1 2 3 Blush or face turns red for no reason
305. 0 1 2 3 Dull pain or tightness in chest and/or radiate into right arm, worse with exertion
306. 0 1 2 3 Muscle cramps with exertion

Section 15 – Kidney and Bladder

13

307. 0 1 2 3 Pain in mid-back region
308. 0 1 2 3 Puffy around the eyes, dark circles under eyes
309. 0 1 History of kidney stones (0=no, 1=yes)
310. 0 1 2 3 Cloudy, bloody or darkened urine
311. 0 1 2 3 Urine has a strong odor

Section 16 – Immune system

30

312. 0 1 2 3 Runny or drippy nose
313. 0 1 2 3 Catch colds at the beginning of winter
314. 0 1 2 3 Mucus producing cough
315. 0 1 2 3 Frequent colds or flu (0=1 or less per year, 1=2 to 3 times per year, 2=4 to 5 times per year, 3=6 or more times per year)
316. 0 1 2 3 Other infections (sinus, ear, lung, skin, bladder, kidney, etc.) (0=1 or less per year, 1=2 to 3 times per year, 2=4 to 5 times per year, 3=6 or more times per year)
317. 0 1 2 3 Never get sick (0 = sick only 1 or 2 times in last 2 years, 1 = not sick in last 2 years, 2 = not sick in last 4 years, 3 = not sick in last 7 years)
318. 0 1 2 3 Acne (adult)
319. 0 1 2 3 Itchy skin (Dermatitis)
320. 0 1 2 3 Cysts, boils, rashes
321. 0 1 2 3 History of Epstein Bar, Mono, Herpes, Shingles, Chronic Fatigue Syndrome, Hepatitis or other chronic viral condition (0 = no, 1 = yes in the past, 2 = currently mild condition, 3 = severe)

KEY: 0=No, symptom does not occur
1=Yes, minor or mild symptom, rarely occurs (monthly)
2=Moderate symptom, occurs occasionally (weekly)
3=Severe symptom, occurs frequently (daily)

©2003 Nutritional Therapy Association, Inc.® All Rights Reserved.